

	MY26 DORCUS Model range	FOB USD	FORK	BATTERY	Drive Unit	Max Torque(N.m)
A	29" E-Fully MTB SHIMANO EP801-DT-E8036 (雙避震)	2180	Suspension	630W	SHIMANO EP-801	85
B	29" E-MTB SHIMANO EP801+E8036 Gent	1854	Suspension	630W	SHIMANO EP-801	85
	29" E-MTB SHIMANO EP801+E8036 Trapez	1854	Suspension	630W	SHIMANO EP-801	85
C	29er E-MTB BAFANG Mid Motor Gent	1205	Suspension	504W	Bafang M510 Mid Motor	95
	29er E-MTB BAFANG Mid Motor Trapez	1205	Suspension	504W	Bafang M510 Mid Motor	95
D	20" E-Compact	770	HF	252W	SEGL Rear Motor	40
E	29" E-MTB Fender	860	Suspension	252W	SEGL Rear Motor	40
	29" E-MTB	822	Suspension	252W	SEGL Rear Motor	40
F	700C E-City (Chain) Gnet	853	HF	252W	SEGL Rear Motor	40
	700C E-City (Chain) Trapez	853	HF	252W	SEGL Rear Motor	40
G	700C E-City (Belt) Gnet	735	Suspension	252W	SEGL Rear Motor	40
	700C E-City (Belt) Trapez	735	Suspension	252W	SEGL Rear Motor	40
H	700C E-Gravel Fender	1100	HF	252W	SEGL Rear Motor	40
	700C E-Gravel	1071	HF	252W	SEGL Rear Motor	40
I	20" E-Cargo	704	Suspension	504W	Bafang H550 Rear Motor	55
J	29" E-MTB Wave BAFANG Mid Motor	1255	Suspension	480W	Bafang M510 Mid Motor	95
K	700C E-City Wave BAFANG Mid Motor	1245	Suspension	480W	Bafang M510 Mid Motor	95

MODEL : A

SHIMANO EP801(Full Suspension)

	ITEMS	SUPPLIER	SPECIFICATION
1	FRAME	DORCUS	29"x19" (M), SHIMANO E8000-DT-E8036,
2	FRAME SIZE		ODM
3	FRAME COLOR	-	ODM
4	Frame DECAL	-	ODM
5	FORK	SR	SF23-ZERON35-BOOST 1-1/8"-1.5", M15x110mm
6	R.DERAILLEUR	SHIMANO	RD-M8100, DEORE XT,SGS, 12-SPEED,
7	SHIFTERS-R	SHIMANO	SL-M8100-R, DEORE XT,RIGHT,12-SPEED
8	FRONT BRAKE	SHIMANO	BL-MT401(L), BR-M420(F), SM-MA-F203P/PM
9	REAR BRAKE	SHIMANO	BL-MT401(R),BR-MT410(R), SM-MA-F180P/P2
10	Rotor-Front	SHIMANO	L 203MM,W/LOCK RING
11	Rotor-Rear	SHIMANO	M 180MM,W/LOCK RING
12	Chainring	SHIMANO	SM-CRE80-12-B, 34T
13	Crank	SHIMANO	CRANK ARM SET, FC-EM600, 170MM W/O CG
14	Damper	SR	RS21-EDGE-PLUS-2CR-METRIC, 230 x 65 MM
15	FREEWHEEL	SHIMANO	CS-M6100-12,12-SPEED, 10-51T
16	CHAIN	KMC	1/2"X11/128"X126L,12S, W/CL552
17	PEDALS	VP	9/16" BORON AXLE BLACK
18	FRONT HUB	Bear pawl	FRONT DISC HUB, 2SB,J-BEND, 32H, CENTER LOCK, 15*110 OLD
19	REAR HUB	Bear paw	REAR DISC HUB, 4SB,J-BEND, 32H, CENTER LOCK, 12*148 OLD
20	Rear axle	Mr Contral	SPAX TL 12X M12*P1.5*181L AL6061
21	RIMS Front	JALCO	RIM, PHL32 29" OS 32H, F/V
22	RIMS Rear	JALCO	RIM, PHL32 27.5" OS 32H, F/V
23	SPOKES	SHA DAR	Stainless / ED Black
24	INNER TUBES	MAXXIS	27.5"X1.75/2.4
25	INNER TUBES	MAXXIS	29"X1.75/2.4
26	Front TIRES	MAXXIS	HIGH ROLLER II 27.5"X2.8, 3C,
27	Rear TIRES	MAXXIS	MINION DHF 29"X2.5, 3C
28	HEAD SET	NECO	H323MP-2WR SEMI INTEGRATED ICR, SEALING BEARIN
29	SADDLE	DDK	ALL BLACK, W/ED BLACK STEEL RAILS
30	SEAT POST	HL	30.9D, Alloy / SAND BLACK (SSABK)
31	SEAT CLAMP	PROMAX	34.9D, Alloy / S.B. Black
32	H/STEM	HL	3D FORG ALLOY, BARBORE 31.8MM,EXT 60MM
33	HANDLEBAR	HL	760MM, 9°, SANDBLACK, BARBORE:31.8,
34	GRIP&TAPE	VELO-G	HARD PLASTIC BLACK (A15),135MM,
35	DISPLAY	SHIMANO	CYCLE COMPUTER, SC-EN600
36	controller	SHIMANO	SWITCH, SW-EN600-L, LEF
37	BATTERY	SHIMANO	FRAME(DOWN TUBE/INTEGRATED),630Wh
38	Drive Unit	SHIMANO	DU-EP801, MID SHIPPOSITION, FOR 25km/h
39	speed sensor wire	SHIMANO	SPEED SENSOR UNIT, EW-SS302
40	SPEED Magnet		STAINLESS BODY / N45 MAGNET
41	CHARGER	SHIMANO	BATTERY CHARGER(2A)

**FOB TW US\$ 2180.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



MODEL : B

SHIMANO EP801 (Gent).

	ITEMS	SUPPLIER	SPECIFICATION
1	FRAME	DORCUS	29"x490MM, SHIMANO E8000+E8036 Gent / Trapez
2	FRAME SIZE		ODM
3	FRAME COLOR	-	ODM
4	Frame DECAL	-	ODM
5	FORK	SR	XCR32-Boost-COIL LOR, 1-1/8"-1.5", M15x110W
6	R.DERAILLEUR	SHIMANO	RD-M6100, DEORE,SGS12-SPEED
7	SHIFTERS-R	SHIMANO	SSL-M6100-R, DEORE, RIGHT, 12-SPEED
8	FRONT BRAKE	SHIMANO	BL-MT401(L), BR-M420(F), SM-MA-F203P/PM
9	REAR BRAKE	SHIMANO	BL-MT401(R),BR-MT410(R), SM-MA-F180P/P2
10	Rotor-Front	SHIMANO	L 203MM,W/LOCK RING
11	Rotor-Rear	SHIMANO	M 180MM,W/LOCK RING
12	Chainring	SHIMANO	SM-CRE80-12-B, 34T
13	Crank	SHIMANO	CRANK ARM SET, FC-EM600,W/O CG
14	FREEWHEEL	SHIMANO	CS-M6100-12,12-SPEED, 10-51T
15	CHAIN	KMC	1/2"X11/128"X126L, 12S
16	PEDALS	VP	9/16" BORON AXLE BLACK P.P.BODY
17	FRONT HUB	Bear pawl	BMB-503150F0, 2SB,J-BEND, 32H, CENTER LOCK
18	REAR HUB	Bear pawl	BMB-5041203F, 4SB,J-BEND, 32H, CENTER LOCK
19	Rear axle	MR. CONTROL	THRU AXLE, SPAX-TL-12X.SYNTAC
20	RIMS Front	JALCO	PHL32 29" OS 32H
21	RIMS Rear	JALCO	PHL32 27.5" OS 32H
22	SPOKES	SHA DAR	Stainless / ED Black
23	INNER TUBES	MAXXIS	27.5"X1.75/2.4
24	INNER TUBES	MAXXIS	29"X1.75/2.4
25	Front TIRES	MAXXIS	HIGH ROLLER II 27.5"X2.8, 3C,
26	Rear TIRES	MAXXIS	MINION DHF 29"X2.5, 3C
27	HEAD SET	NECO	H323MP-2WR SEMI INTEGRATED ICR
28	SADDLE	DDK	ALL BLACK, W/ED BLACK STEEL RAILS,W/O LOGO, W/O CLAMP
29	SEAT POST	HL	30.9D, Alloy / S.B. Black
30	SEAT CLAMP	PROMAX	34.9D, Alloy / Black
31	H/STEM	HL	TDS-D601A-8FOV/ISO-M,3D FORG ALLOY, EXT 60MM
32	HANDLEBAR	HL	760MM, 9° SANDBLACK, BARBORE:31.8
33	GRIP&TAPE	VELO-G	HARD PLASTIC BLACK (A15),135MM,
34	DISPLAY	SHIMANO	CYCLE COMPUTER, SC-EN600
35	controller	SHIMANO	SWITCH, SW-EN600-L, LEF
36	BATTERY	SHIMANO	FRAME(DOWN TUBE/INTEGRATED),630Wh
37	Drive Unit	SHIMANO	DU-EP801, MID SHIPPOSITION, FOR 25km/h
38	speed sensor wire	SHIMANO	SPEED SENSOR UNIT, EW-SS301
39	SPEED Magnet		STAINLESS BODY / N45 MAGNET
40	CHARGER	SHIMANO	BATTERY CHARGER(2A)

**FOB TW US\$ 1,854.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



MODEL : B

SHIMANO EP801 (Lady).

	ITEMS	SUPPLIER	SPECIFICATION
1	FRAME	DORCUS	29"x490MM, SHIMANO E8000+E8036 Gent / Trapez
2	FRAME SIZE		ODM
3	FRAME COLOR	-	ODM
4	Frame DECAL	-	ODM
5	FORK	SR	XCR32-Boost-COIL LOR, 1-1/8"-1.5", M15x110W
6	R.DERAILLEUR	SHIMANO	RD-M6100, DEORE,SGS12-SPEED
7	SHIFTERS-R	SHIMANO	SSL-M6100-R, DEORE, RIGHT, 12-SPEED
8	FRONT BRAKE	SHIMANO	BL-MT401(L), BR-M420(F), SM-MA-F203P/PM
9	REAR BRAKE	SHIMANO	BL-MT401(R),BR-MT410(R), SM-MA-F180P/P2
10	Rotor-Front	SHIMANO	L 203MM,W/LOCK RING
11	Rotor-Rear	SHIMANO	M 180MM,W/LOCK RING
12	Chainring	SHIMANO	SM-CRE80-12-B, 34T
13	Crank	SHIMANO	CRANK ARM SET, FC-EM600,W/O CG
14	FREEWHEEL	SHIMANO	CS-M6100-12,12-SPEED, 10-51T
15	CHAIN	KMC	1/2"X11/128"X126L, 12S
16	PEDALS	VP	9/16" BORON AXLE BLACK P.P.BODY
17	FRONT HUB	Bear pawl	BMB-503150F0, 2SB,J-BEND, 32H, CENTER LOCK
18	REAR HUB	Bear pawl	BMB-5041203F, 4SB,J-BEND, 32H, CENTER LOCK
19	Rear axle	MR. CONTROL	THRU AXLE, SPAX-TL-12X,SYNTAC
20	RIMS Front	JALCO	PHL32 29" OS 32H
21	RIMS Rear	JALCO	PHL32 27.5" OS 32H
22	SPOKES	SHA DAR	Stainless / ED Black
23	INNER TUBES	MAXXIS	27.5"X1.75/2.4
24	INNER TUBES	MAXXIS	29"X1.75/2.4
25	Front TIRES	MAXXIS	HIGH ROLLER II 27.5"X2.8, 3C,
26	Rear TIRES	MAXXIS	MINION DHF 29"X2.5, 3C
27	HEAD SET	NECO	H323MP-2WR SEMI INTEGRATED ICR
28	SADDLE	DDK	ALL BLACK, W/ED BLACK STEEL RAILS,W/O LOGO, W/O CLAMP
29	SEAT POST	HL	30.9D, Alloy / S.B. Black
30	SEAT CLAMP	PROMAX	34.9D, Alloy / Black
31	H/STEM	HL	TDS-D601A-8FOV/ISO-M,3D FORG ALLOY, EXT 60MM
32	HANDLEBAR	HL	760MM, 9° SANDBLACK, BARBORE:31.8
33	GRIP&TAPE	VELO-G	HARD PLASTIC BLACK (A15),135MM,
34	DISPLAY	SHIMANO	CYCLE COMPUTER, SC-EN600
35	controller	SHIMANO	SWITCH, SW-EN600-L, LEF
36	BATTERY	SHIMANO	FRAME(DOWN TUBE/INTEGRATED),630Wh
37	Drive Unit	SHIMANO	DU-EP801, MID SHIPPOSITION, FOR 25km/h
38	speed sensor wire	SHIMANO	SPEED SENSOR UNIT, EW-SS301
39	SPEED Magnet		STAINLESS BODY / N45 MAGNET
40	CHARGER	SHIMANO	BATTERY CHARGER(2A)

FOB TW US\$ 1,854.00/bike

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



Model: C	29" E-MTB BAFANG M510 Mid Motor Gent	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	E-Bike 29"x50CM,Gent
FRAME PAINTING		TBD
FORK	ZOOM	1-1/8"-1.5" 25.4x28.6x39.8, SUSPENSION FORK
HEADSET	PT	1-1/8"x1.5" 28.6/52x52/39.8
F/HUB	YU HUB	Disc, 14Gx32H, M15x110mm
R/HUB	YU HUB	Disc, 14Gx32H, M12x142mm, for SHIMANO CASSETTE
RIM	Jalco	29" 14Gx32H, A/V,
RIM	Jalco	29" 14Gx32H, A/V
SPOKE	SD	Stainless/ED Black
F. TIRE	INNOVA	29"x2.4", All Black
R. TIRE	INNOVA	29"x2.4", All Black
CASSETT	Shimano CUES	CS-LG400-11, CUES, 11-SPEED, 11-50T
HANDLE BAR	JH	740WxS-31.8x15HxBS:6" , Alloy/ S.B. Black
STEM	ZOOM HL	31.8Bx28.6Dx75Ex+5" , Alloy / S.B. Black
GRIP(TAPE)	VELO	135mm
R. DERAILLEUR	Shimano CUES	RD-U6000, CUES, GS 10/11-SPEED
R/SHIFTER	Shimano CUES	SL-U6000-11R, CUES, RIGHT, 11-SPEED
CHAINWHEEL	SAMOX	36Tx175L, for Bafang M510 Mid Motor
CHAIN	KMC	XgIide-Gray, for SHIMANO CUES 9/10/11 SPEED, W/QUICK-LINK
F. BRAKE SET	TEKTRO	HD-M275/F, ROTOR:180mm
R. BRAKE SET	TEKTRO	HD-M275/R, ROTOR:180mm
SADDLE	DDK	DDK-5176
SEAT POST	JS	30.9D, Alloy/ S.B. Black
SEAT POST CLAMP	JS	34.9D, Alloy/ S.B. Black
KICKSTAND	Strong	29" QK-RA32
F/Fender	Jalco	29"x75W Alloy
R/Fender	Jalco	29"x75W Alloy, W/ Rack
MOTOR	BAFANG	M510, 48V/250W,25KM/H
SENSOR	BAFANG	36V/250W
DISPLAY	BAFANG	LCD Display, 36V, 0-5, DP C241.CAN
BATTERY	SEGL	IEMINI 36V/250W, LG 3500mAh, Capacitor:14Ah
Charger	SEGL	42V/2A, DC Jack

**FOB TW US\$ 1205.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



Model: C	29" E-MTB BAFANG M510 Mid Motor Trapez	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	E-Bike 29"x50CM, Trapez
FRAME PAINTING		TBD
FORK	ZOOM	1-1/8"-1.5" 25.4x28.6x39.8, SUSPENSION FORK
HEADSET	PT	1-1/8"x1.5" 28.6/52x52/39.8
F/HUB	YU HUB	Disc, 14Gx32H, M15x110mm
R/HUB	YU HUB	Disc, 14Gx32H, M12x142mm, for SHIMANO CASSETTE
RIM	Jalco	29" 14Gx32H, A/V,
RIM	Jalco	29" 14Gx32H, A/V
SPOKE	SD	Stainless/ED Black
F. TIRE	INNOVA	29"x2.4", All Black
R. TIRE	INNOVA	29"x2.4", All Black
CASSETT	Shimano CUES	CS-LG400-11, CUES, 11-SPEED, 11-50T
HANDLE BAR	JH	740WxS-31.8x15HxBS:6", Alloy/ S.B. Black
STEM	ZOOM HL	31.8Bx28.6Dx75Ex+5", Alloy / S.B. Black
GRIP(TAPE)	VELO	135mm
R. DERAILLEUR	Shimano CUES	RD-U6000, CUES, GS 10/11-SPEED
R/SHIFTER	Shimano CUES	SL-U6000-11R, CUES, RIGHT, 11-SPEED
CHAINWHEEL	SAMOX	36Tx175L, for Bafang M510 Mid Motor
CHAIN	KMC	XgIide-Gray, for SHIMANO CUES 9/10/11 SPEED, W/QUICK-LINK
F. BRAKE SET	TEKTRO	HD-M275/F, ROTOR:180mm
R. BRAKE SET	TEKTRO	HD-M275/R, ROTOR:180mm
SADDLE	DDK	DDK-5176
SEAT POST	JS	30.9D, Alloy/ S.B. Black
SEAT POST CLAMP	JS	34.9D, Alloy/ S.B. Black
KICKSTAND	Strong	29" QK-RA32
F/Fender	Jalco	29"x75W Alloy
R/Fender	Jalco	29"x75W Alloy, W/ Rack
MOTOR	BAFANG	M510, 48V/250W,25KM/H
SENSOR	BAFANG	36V/250W
DISPLAY	BAFANG	LCD Display, 36V, 0-5, DP C241.CAN
BATTERY	SEGL	IEMINI 36V/250W, LG 3500mAh, Capacitor:14Ah
Charger	SEGL	42V/2A, DC Jack

**FOB TW US\$ 1205.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



Model: D	20" E-Compact Bafang RM	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	E-Bike 20"x40cm
FRAME PAINTING		TBD
FORK	DORCUS	20",Rigid Alloy
HEADSET	PT	1-1/8"x1.5" 28.6/52x52/39.8, 15mm Nylon Cover
F/HUB	MF	Disc Brake, 14Gx36H, Alloy / Anod BLK
RIM	JALCO	20", 14Gx36H, F/V,
SPOKE	SD	Stainless/ED Black
TIRE/F/R	INNOVA	IA-2128 20"x2.3", All Black
TUBE/F/R	INNOVA	20"x1.95/2.4" F/V, 33mm
CASSETTE	Shimano CUES	CS-LG300-9, CUES, 9-SPEED, 11-36T
HANDLE BAR	SZ HL	700WxS-31.8xB:6", Alloy / S.B. Black
STEM	SZ HL	31.8Bx28.6Dx65Ex15~90°, Alloy / S.B. Black
GRIP(TAPE)	Sun Shiny	22.2Dx 130L
R. DERAILLEUR	SHIMANO	RD-U3020GS, CUES SGS, 9-SPEED
R/SHIFTER	SHIMANO	SL-U4000-9R, CUES, 9-SPEED
CHAINWHEEL	LASCO	11/128"x32Tx165L, for CUES
PEDAL	FPD	9/16D CR-MO
CHAIN	KMC	Xglide-Gray, for SHIMANO CUES 9/10/11 SPEED, W/QUICK-LINK
L. BRAKE LEVER	TEKTRO	HD-T275/F, ROTOR:160mm
R. BRAKE LEVER	TEKTRO	HD-T275/R, ROTOR:160mm
SADDLE	DDK	DDK-5090
SEAT POST	SZ HL	27.2D, Alloy / S.B. Black
SEAT POST CLAMP	SZ HL	31.8mm, Alloy / S.B. Black
KICKSTAND	Strong	20", Alloy / ED Black
F. FENDER	YF	20x68W, FA:490, Plastic / Black
R. FENDER	YF	20x68W, RA:760, Plastic / Black
F. CARRIER	Strong	250*260*80H, Alloy / S.B. Black
R. CARRIER	Strong	20", 245mm, Full Alloy / S.B. Black, W/ Basket
HEAD LAMP	Spin	KENDO+ XE (H057092A)
REAR LAMP	Spin	PIMENTO LARGE XER (H057092A), Red COB LED 5
MOTOR	SEGL	36V/250W, 13Gx36H, OLD 142mm, 40N.M,
Controller	SEGL	GFW 36V15A+IF2C, 36V/250W
HMI	SEGL	KDS/KD18C LCD DISPLAY, 36V
SENSOR	SEGL	CTCL24-L, for BB
BATTERY	SEGL	36V/7Ah(10S2P, LG mj1 cell)
CHARGER	SEGL	42V/2A, DC Jack

**FOB TW US\$ 770.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.  
Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance  
Validity: Within 30days after quote



Model:E	29" E-MTB Rear Motor W/ Fender	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	E-Bike 29"x50CM,Gent
FRAME PAINTING		TBD
FORK	ZOOM	1-1/8"-1.5" 25.4x28.6x39.8, SUSPENSION FORK
HEADSET	PT	1-1/8"x1.5" 28.6/52x52/30
F/HUB	YU HUB	Disc, 14Gx36H, M15x110mm
R/HUB	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M.
RIM	JHT	29" 14Gx36H, A/V,
RIM	JHT	29" 14Gx36H, A/V
SPOKE	SD	Stainless/ED Black
F. TIRE	INNOVA	29"x2.4", All Black
R. TIRE	INNOVA	29"x2.4", All Black
CASSETT	Shimano CUES	CS-LG400-11, CUES, 11-SPEED, 11-50T
HANDLE BAR	JH	740WxS-31.8x15HxBs:6", Alloy/ S.B. Black
STEM	ZOOM HL	31.8Bx28.6Dx75Ex+5", Alloy / S.B. Black
GRIP(TAPE)	VELO	135mm
R. DERAILLEUR	Shimano CUES	RD-U6000, CUES, GS 10/11-SPEED
R/SHIFTER	Shimano CUES	SL-U6000-11R, CUES, RIGHT, 11-SPEED
CHAINWHEEL	Shimano CUES	FC-U6000-1, CUES, FOR REAR 9/10/11-SPEED, 2-PCS FC, 170MM, 32T W/O CG, W/ BB SET
CHAIN	KMC	Xglide-Gray, for SHIMANO CUES 9/10/11 SPEED, W/QUICK-LINK
F. BRAKE SET	TEKTRO	HD-M275/F, ROTOR:180mm
R. BRAKE SET	TEKTRO	HD-M275/R, ROTOR:180mm
SADDLE	DDK	DDK-5176
SEAT POST	JS	27.2D, Alloy / Black
SEAT POST CLAMP	JS	31.8D, Alloy / Black
KICKSTAND	Strong	29" QK-RA32
F/Fender	Jalco	29"x75W Alloy
R/Fender	Jalco	29"x75W Alloy, W/ Rack
MOTOR	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M.
Controller	SEGL	GFW 36V15A+IF2C, 36V/250W
HMI	SEGL	KDS/KD18C LCD DISPLAY, 36V
SENSOR	SEGL	CTCL11-C, for 11T CASSETTE
BATTERY	SEGL	36V/7Ah(10S2P, LG mj1 cell)
CHARGER	SEGL	42V/2A, DC Jack

**FOB TW US\$ 860.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote





Model: E	29" E-MTB Rear Motor	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	E-Bike 29"x50CM,Gent
FRAME PAINTING		TBD
FORK	ZOOM	1-1/8"-1.5" 25.4x28.6x39.8, SUSPENSION FORK
HEADSET	PT	1-1/8"x1.5" 28.6/52x52/30
F/HUB	YU HUB	Disc, 14Gx36H, M15x110mm
R/HUB	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M.
RIM	JHT	29" 14Gx36H, A/V,
RIM	JHT	29" 14Gx36H, A/V
SPOKE	SD	Stainless/ED Black
F. TIRE	INNOVA	29"x2.4", All Black
R. TIRE	INNOVA	29"x2.4", All Black
CASSETT	Shimano CUES	CS-LG400-11, CUES, 11-SPEED, 11-50T
HANDLE BAR	JH	740WxS-31.8x15HxBS:6", Alloy/ S.B. Black
STEM	ZOOM HL	31.8Bx28.6Dx75Ex+5", Alloy / S.B. Black
GRIP(TAPE)	VELO	135mm
R. DERAILLEUR	Shimano CUES	RD-U6000, CUES, GS 10/11-SPEED
R/SHIFTER	Shimano CUES	SL-U6000-11R, CUES, RIGHT, 11-SPEED
CHAINWHEEL	Shimano CUES	FC-U6000-1, CUES, FOR REAR 9/10/11-SPEED, 2-PCS FC, 170MM, 32T W/O CG, W/ BB SET
CHAIN	KMC	Xglide-Gray, for SHIMANO CUES 9/10/11 SPEED, W/QUICK-LINK
F. BRAKE SET	TEKTRO	HD-M275/F, ROTOR:180mm
R. BRAKE SET	TEKTRO	HD-M275/R, ROTOR:180mm
SADDLE	DDK	DDK-5176
SEAT POST	JS	27.2D, Alloy / Black
SEAT POST CLAMP	JS	31.8D, Alloy / Black
KICKSTAND	Strong	29" QK-RA32
F/Fender		
R/Fender		
MOTOR	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M.
Controller	SEGL	GFW 36V15A+IF2C, 36V/250W
HMI	SEGL	KDS/KD18C LCD DISPLAY, 36V
SENSOR	SEGL	CTCL11-C, for 11T CASSETTE
BATTERY	SEGL	36V/7Ah(10S2P, LG mj1 cell)
CHARGER	SEGL	42V/2A, DC Jack

**FOB TW US\$ 822.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



Model: F	700C E-City Gent	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	700C E-City Gent, 50Cm, Full Alloy
FRAME COLOR		TBD
FORK	DORCUS	Alloy Rigid fork , 700Cx50C, 1-1/8"-1.5" TAPER
FORK Color		TBD
R.DERAILLEUR	Shimano GUES	RD-U6000, CUES, GS 10/11-SPEED
SHIFTERS-R	Shimano GUES	SL-U6000-11R, CUES, RIGHT, 11-SPEED
FRONT BRAKE	Tektro	HDT275, ROTRO:160mm
REAR BRAKE	Tektro	HDT275, ROTOR:160mm
CHAINWHEEL	Shimano GUES	FC-U6000-1, CUES, FOR REAR 9/10/11-SPEED, 40Tx170L, W/ CG, W/ BB SET
FREEWHEEL	Shimano GUES	CS-LG400-11, CUES, 11-SPEED, 11-50T
CHAIN	KMC	Xgslide-Gray, for SHIMANO CUES 9/10/11 SPEED, W/QUICK-LINK
WHEEL SET	DORCUS	FOR 700"X36H
FRONT HUB	KT	14Gx36H, Alloy / Anod BLK, M9*100*108mm
REAR HUB	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M
RIMS	JHT	700C, 14Gx36H, A/V
SPOKES	SHA DAR	Stainless, ED Black
INNER TUBES	INNOVA	700Cx45C, F/V 48mm
TIRES	INNOVA	700Cx45C, All Black
HEAD SET	NECO	1-1/8"x1.5" 28.6/52x52/39.8, 15mm Nylon Cover
SADDLE	VELO	VL-1962
SEAT POST	JS	27.2D, Alloy / S.B. Black
SEAT CLAMP	JS	31.8D, Alloy / S.B. Black
H/STEM	HL	31.8Bx28.6Dx75Ex0-90°, Alloy / S.B. Black
HANDLEBAR	HL	Gent : 660WxS-31.8x25 RISE xBS:18°, Alloy/ S.B.BLACK
GRIP&TAPE	VELO	131.3mm
FENDER	JALCO	700Cx55W Alloy / S.B. Black, , W/ Rack
CARRIER	Strong	Front 250*260*80H Alloy
CARRIER	Strong	Rear Simple type Alloy
F/Light	SP	AXENDO 40 XE ( H635021 ) , 1LED 40Lux
R/Light	SP	PRESTO-GUARD XE, Red COB LED 5 Cd, 6-36Vdc
MOTOR	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M,
Controller	SEGL	GFW 36V15A+IF2C, 36V/250W
HMI	SEGL	KDS/KD18C LCD DISPLAY, 36V
SENSOR	SEGL	CTCL11-C, for 11T CASSETTE
BATTERY	SEGL	36V/7Ah(10S2P, LG mj1 cell)
CHARGER	SEGL	42V/2A, DC Jack

**FOB TW US\$ 853.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



Model: F	700C E-City Trapez	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	700C E-City Trapez, 50Cm, Full Alloy
FRAME COLOR		TBD
FORK	DORCUS	Alloy Rigid fork , 700Cx50C, 1-1/8"-1.5" TAPER
FORK Color		TBD
R.DERAILLEUR	Shimano GUES	RD-U6000, CUES, GS 10/11-SPEED
SHIFTERS-R	Shimano GUES	SL-U6000-11R, CUES, RIGHT, 11-SPEED
FRONT BRAKE	Tektro	HDT275, ROTRO:160mm
REAR BRAKE	Tektro	HDT275, ROTOR:160mm
CHAINWHEEL	Shimano GUES	FC-U6000-1, CUES, FOR REAR 9/10/11-SPEED, 40Tx170L, W/ CG, W/ BB SET
FREEWHEEL	Shimano GUES	CS-LG400-11, CUES, 11-SPEED, 11-50T
CHAIN	KMC	Xgslide-Gray, for SHIMANO CUES 9/10/11 SPEED, W/QUICK-LINK
WHEEL SET	DORCUS	FOR 700"X36H
FRONT HUB	KT	14Gx36H, Alloy / Anod BLK, M9*100*108mm
REAR HUB	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M
RIMS	JHT	700C, 14Gx36H, A/V
SPOKES	SHA DAR	Stainless, ED Black
INNER TUBES	INNOVA	700Cx45C, F/V 48mm
TIRES	INNOVA	700Cx45C, All Black
HEAD SET	NECO	1-1/8"x1.5" 28.6/52x52/39.8, 15mm Nylon Cover
SADDLE	VELO	VL-1962
SEAT POST	JS	27.2D, Alloy / S.B. Black
SEAT CLAMP	JS	31.8D, Alloy / S.B. Black
H/STEM	HL	31.8Bx28.6Dx75Ex0~90°, Alloy / S.B. Black
HANDLEBAR	HL	Trapez : 640WxS-31.8x38 RISE xBS:38°, Alloy/ S.B. Black
GRIP&TAPE	VELO	131.3mm
FENDER	JALCO	700Cx55W Alloy / S.B. Black, , W/ Rack
CARRIER	Strong	Front 250*260*80H Alloy
CARRIER	Strong	Rear Simple type Alloy
F/Light	SP	AXENDO 40 XE ( H635021 ) , 1LED 40Lux
R/Light	SP	PRESTO-GUARD XE, Red COB LED 5 Cd, 6-36Vdc
MOTOR	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M,
Controller	SEGL	GFW 36V15A+IF2C, 36V/250W
HMI	SEGL	KDS/KD18C LCD DISPLAY, 36V
SENSOR	SEGL	CTCL11-C, for 11T CASSETTE
BATTERY	SEGL	36V/7Ah(10S2P, LG mj1 cell)
CHARGER	SEGL	42V/2A, DC Jack

**FOB TW US\$ 853.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



Model: G	700C E-City Belt Gent	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	700C E-City Gent, 700Cx50cm, Full Alloy
FRAME COLOR		TBD
FORK	ZOOM	700C 1-1/8", SUSPENSION FORK
FORK Color		TBD
R.DERAILLEUR	Nii	
SHIFTERS-R	Nii	
FRONT BRAKE	Tektro	HD-T275/F, ROTOR:160mm
REAR BRAKE	Tektro	HD-T275/R, ROTOR:160mm
CHAINWHEEL	GATE	78700356 FC S050 JIS 170BM 46T, Black
FREEWHEEL	GATE	78980508 ST1122SSE, 22T, 9-Spline, Silver
CHAIN	GATE	9926014A1 11M-118T-12 SIDETRACK BLACK
WHEEL SET	DORCUS	FOR 700"X36H
FRONT HUB	KT	14Gx36H, Alloy / Anod BLK, M9*100*108mm
REAR HUB	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M
RIMS	JHT	700C, 14Gx36H, A/V
SPOKES	SHA DAR	Stainless, ED Black
INNER TUBES	INNOVA	700Cx45C, F/V 48mm
TIRES	INNOVA	700Cx45C, All Black
HEAD SET	PT	1-1/8"x1.5" 28.6/52x52/30, 15mm Nylon Cover
SADDLE	VELO	VL-1962
SEAT POST	JS	27.2D, Alloy / S.B. Black
SEAT CLAMP	JS	31.8D, Alloy / S.B. Black
H/STEM	HL	31.8Bx28.6Dx75Ex0-90°, ALLOY/SAND BLACK
HANDLEBAR	HL	Gent : 660WxS-31.8x25 RISE xBS:18°, Alloy/ S.B.BLACK
GRIP&TAPE	Gent : 660WxS-	135mm
FENDER	JALCO	700Cx55W Alloy / S.B. Black, , W/ Rack
CARRIER	Strong	Front 250*260*80H Alloy
CARRIER	Strong	Rear Simple type Alloy
F/Light	SP	AXENDO 40 XE ( H635021 ) , 1LED 40Lux
R/Light	SP	PRESTO-GUARD XE, Red COB LED 5 Cd, 6-36Vdc
MOTOR	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M,
Controller	SEGL	GFW 36V15A+IF2C, 36V/250W
HMI	SEGL	KDS/KD18C LCD DISPLAY, 36V
SENSOR	SEGL	CTCL24-L, for BB
BATTERY	SEGL	36V/7Ah(10S2P, LG mj1 cell)
CHARGER	SEGL	42V/2A, DC Jack

**FOB TW US\$ 735.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



Model: G	700C E-City Belt Trapez	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	700C E-City Trapez, 700Cx500mm, Full Alloy
FRAME COLOR		TBD
FORK	ZOOM	700C 1-1/8", SUSPENSION FORK
FORK Color		TBD
R.DERAILLEUR	Nil	
SHIFTERS-R	Nil	
FRONT BRAKE	Tektro	HD-T275/F, ROTOR:160mm
REAR BRAKE	Tektro	HD-T275/R, ROTOR:160mm
CHAINWHEEL	GATE	78700356 FC S050 JIS 170BM 46T, Black
FREEWHEEL	GATE	78980508 ST1122SSE, 22T, 9-Spline, Silver
CHAIN	GATE	9926014A1 11M-118T-12 SIDETRACK BLACK
WHEEL SET	DORCUS	FOR 700"X36H
FRONT HUB	KT	14Gx36H, Alloy / Anod BLK, M9*100*108mm
REAR HUB	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M
RIMS	JHT	700C, 14Gx36H, A/V
SPOKES	SHA DAR	Stainless, ED Black
INNER TUBES	INNOVA	700Cx45C, F/V 48mm
TIRES	INNOVA	700Cx45C, All Black
HEAD SET	PT	1-1/8"x1.5" 28.6/52x52/30, 15mm Nylon Cover
SADDLE	VELO	VL-1962
SEAT POST	JS	27.2D, Alloy / S.B. Black
SEAT CLAMP	JS	31.8D, Alloy / S.B. Black
H/STEM	HL	31.8Bx28.6Dx75Ex0~90°, ALLOY/SAND BLACK
HANDLEBAR	HL	Trapez : 640WxS-31.8x38 RISE xBS:38°, Alloy/ S.B. Black
GRIP&TAPE	Gent : 660WxS-	135mm
FENDER	JALCO	700Cx55W Alloy / S.B. Black, , W/ Rack
CARRIER	Strong	Front 250*260*80H Alloy
CARRIER	Strong	Rear Simple type Alloy
F/Light	SP	AXENDO 40 XE ( H635021 ) , 1LED 40Lux
R/Light	SP	PRESTO-GUARD XE, Red COB LED 5 Cd, 6-36Vdc
MOTOR	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M.
Controller	SEGL	GFW 36V15A+IF2C, 36V/250W
HMI	SEGL	KDS/KD18C LCD DISPLAY, 36V
SENSOR	SEGL	CTCL24-L, for BB
BATTERY	SEGL	36V/7Ah(10S2P, LG mj1 cell)
CHARGER	SEGL	42V/2A, DC Jack

**FOB TW US\$ 735.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



Model: H	700C E-Gervel W/ Fender	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	700C E-Gravel, 700C-470-09Y, 700Cx470mm, Full Alloy
FRAME COLOR		TBD
FORK	DORCUS	Alloy Rigid fork , 700Cx50C, 1-1/8"-1.5" TAPER
FORK Color		TBD
R.DERAILLEUR	Shimano GRX	RD-RX810, GRX, 11-SPEED, TOP NORMAL
SHIFTERS-L	Shimano GRX	GRX, BL-RX600-L(L)
SHIFTERS-R	Shimano GRX	GRX, ST-RX600(R)
FRONT BRAKE	Shimano GRX	GRX, BR-RX400(F),
REAR BRAKE	Shimano GRX	GRX, BR-RX400(R)
Chainring	Shimano GRX	FC-RX600, GRX, FOR REAR 11-SPEED, 40T
Crank	Shimano GRX	2-PCS FC, 172.5MM
FREEWHEEL	Shimano	CS-HG70011, 11-SPEED, 11-34T
CHAIN	KMC	E11S NPBK, 11-Speed, W/QUICK-LINK
WHEEL SET	DORCUS	FOR 700*X36H
FRONT HUB	YU HUB	FRONT DISC HUB, M12*14G*36H*100W.2 SB
REAR HUB	SEGL	DC 36V/250W, 13Gx36H, OLD 145mm, 40N.M
RIMS	JALCO	29" 14GX36H AL/BLK F/V
SPOKES	SHA DAR	Stainless, ED Black
INNER TUBES	INNOVA	700Cx45C, F/V 48mm
TIRES	INNOVA	700Cx45C, All Black
HEAD SET	NECO	1-1/8"x1.5" 28.6/52x52/39.8, 15mm Nylon Cover
SADDLE	VELO	VL-1319
SEAT POST	JS	27.2D, Alloy / S.B. Black
SEAT CLAMP	JS	31.8D, Alloy / S.B. Black
H/STEM	SJ	31.8Bx28.6Dx80Ex-17°, Alloy / S.B. Black
HANDLEBAR	SJ	420WxReach:75mm / Drop:120mmxS-31.8, Alloy / S.B. Black
GRIP&TAPE	VELO	EVA TAPE , 200*3CM
FENDER	JALCO	700Cx55W Alloy / S.B. Black
MOTOR	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M,
Controller	SEGL	GFW 36V15A+IF2C, 36V/250W
HMI	SEGL	KDS/KD18C LCD DISPLAY, 36V
SENSOR	SEGL	CTCL11-C, for 11T CASSETTE
BATTERY	SEGL	36V/7Ah(10S2P, LG mj1 cell)
CHARGER	SEGL	42V/2A, DC Jack

**FOB TW US\$ 1100.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



Model: H	700C E-Gervel	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	700C E-Gravel, 700C-470-09Y, 700Cx470mm, Full Alloy
FRAME COLOR		TBD
FORK	DORCUS	Alloy Rigid fork , 700Cx50C, 1-1/8"-1.5" TAPER
FORK Color		TBD
R.DERAILLEUR	Shimano GRX	RD-RX810, GRX, 11-SPEED, TOP NORMAL
SHIFTERS-L	Shimano GRX	GRX, BL-RX600-L(L)
SHIFTERS-R	Shimano GRX	GRX, ST-RX600(R)
FRONT BRAKE	Shimano GRX	GRX, BR-RX400(F),
REAR BRAKE	Shimano GRX	GRX, BR-RX400(R)
Chainring	Shimano GRX	FC-RX600, GRX, FOR REAR 11-SPEED, 40T
Crank	Shimano GRX	2-PCS FC, 172.5MM
FREEWHEEL	Shimano	CS-HG70011, 11-SPEED, 11-34T
CHAIN	KMC	E11S NPBK, 11-Speed, W/QUICK-LINK
WHEEL SET	DORCUS	FOR 700*X36H
FRONT HUB	YU HUB	FRONT DISC HUB, M12*14G*36H*100W.2 SB
REAR HUB	SEGL	DC 36V/250W, 13Gx36H, OLD 145mm, 40N.M
RIMS	JALCO	29" 14GX36H AL/BLK F/V
SPOKES	SHA DAR	Stainless, ED Black
INNER TUBES	INNOVA	700Cx45C, F/V 48mm
TIRES	INNOVA	700Cx45C, All Black
HEAD SET	NECO	1-1/8"x1.5" 28.6/52x52/39.8, 15mm Nylon Cover
SADDLE	VELO	VL-1319
SEAT POST	JS	27.2D, Alloy / S.B. Black
SEAT CLAMP	JS	31.8D, Alloy / S.B. Black
H/STEM	SJ	31.8Bx28.6Dx80Ex-17°, Alloy / S.B. Black
HANDLEBAR	SJ	420WxReach:75mm / Drop:120mmxS-31.8, Alloy / S.B. Black
GRIP&TAPE	VELO	EVA TAPE , 200*3CM
FENDER		
MOTOR	SEGL	36V/250W, 13Gx36H, OLD 145mm, 40N.M,
Controller	SEGL	GFW 36V15A+IF2C, 36V/250W
HMI	SEGL	KDS/KD18C LCD DISPLAY, 36V
SENSOR	SEGL	CTCL11-C, for 11T CASSETTE
BATTERY	SEGL	36V/7Ah(10S2P, LG mj1 cell)
CHARGER	SEGL	42V/2A, DC Jack

FOB TW US\$ 1071.00/bike

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.

Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance

Validity: Within 30days after quote



Model: I	20" E-Cargo	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	E-Cargo Bike 20"x40cm
FRAME PAINTING		TBD
FORK	DORCUS	20" 1-1/8", SUSPENSION FORK
HEADSET	NECO	1-1/8"x1.5" 28.6/52x52/30, 15mm Nylon Cover
F/HUB	KT	14Gx36H, Alloy / Anod BLK, M9*100*108mm
RIM	JALCO	20", 14Gx36H, A/V,
SPOKE	SD	Stainless/ED Black
TIRE/F/R	INNOVA	IA-2128 20"x3.0", All Black
TUBE/F/R	INNOVA	20"x1.95/2.4" A/V, 33mm
CASSETTE	Shimano	CS-HG31, 8-SPEED, 11-34T
HANDLE BAR	JS	660Wx100H, S-25.4xBS:20", Alloy / S.B. Black
STEM	SZ HL	25.4Bx28.6Dx40E, Alloy / S.B. Black
GRIP(TAPE)	Sun Shiny	22.2Dx 130L
R. DERAILLEUR	Shimano	RD-M310-L, ALTUS, 7/8-SPEED
R/SHIFTER	Shimano	SL-M315-8R, RIGHT, 8-SPEED
CHAINWHEEL	LASCO	3/32"x38Tx170L
PEDAL	FPD	9/16D CR-MO
CHAIN	KMC	1/2"x3/32", for 8-SPEED
L. BRAKE LEVER	TEKTRO	HD-M275/F, ROTOR:180mm
R. BRAKE LEVER	TEKTRO	HD-M275/R, ROTOR:180mm
SADDLE	DDK	DDK-5090
SEAT POST	SZ HL	33.9D, Alloy / S.B. Black
SEAT POST CLAMP	SZ HL	40.1D, Alloy / S.B. Black
KICKSTAND	Strong	20", Alloy / ED Black
F. FENDER	CC	20", FA : 520mmx68mm Alloy
R. FENDER	CC	20", RA : 840mmx68mm Alloy
F. CARRIER	Strong	250*260*80H,
R. CARRIER	Strong	20", 245mm, Full Alloy / Black,
HEAD LAMP	Spin	KENDO+ XE ( H057092A ) , 1LED 30Lux, 6-36Vdc
REAR LAMP	Spin	PIMENTO LARGE XER ( R695201 ) , Red COB LED 5
MOTOR	BAFANG Hub	H550, 36V/250W, 12G*36H, OLD:175mm, Black
Controller	BAFANG	CR A101.C, 36V/250W
HMI	BAFANG	LED DISPLAY, 36V, 0-5
SENSOR	BAFANG	SR PA051.12.S Signals 12
BATTERY	SEGL	36V/14Ah(10S4P, LG 2900mAh)
CHARGER	SEGL	42V/2A, DC Jack

**FOB TW US\$ 704.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.  
Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance  
Validity: Within 30days after quote





Model: J	29" E-MTB Wave Bafang M510	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	E-Bike 29"x48CM, Wave, Bafang Mid-Motor
FRAME PAINTING		TBD
FORK	ZOOM HL	29" 1-1/8"-1.5", SUSPENSION FORK
HEADSET	PT	1-1/8"X1.5" 28.6/56X56/39.8, ALLOY
F/HUB	YU HUB	Disc, 14Gx32H, M15x110mm
R/HUB	YU HUB	Disc, 14Gx32H, M12x142mm, for SHIMANO CASSETTE
RIM	JHT	29", 14Gx32H, A/V, Alloy / Black
SPOKE	SD	Stainless / ED Black
TIRE	INNOVA	29"x2.5", All Black, 60TPI
TUBE	INNOVA	29"x2.2"/2.5", A/V, Black
CASSETTE	SHIMANO	CS-LG400-11, CUES, 11-SPEED, 11-50T
HANDLE BAR	SZ HL	700WxS-31.8x25H RISExBS:18", Alloy / S.B. Black
STEM	SZ HL	31.8Bx28.6Dx75E, Alloy / S.B. Black
GRIP(TAPE)	VELO	135mm
R. DERAILLEUR	Shimano CUES	RD-U6000, CUES, GS 10/11-SPEED
R/SHIFTER	Shimano CUES	SL-U6000-11R, CUES, RIGHT, 11-SPEED
CHAINRINGS	SAMOX	36Tx175L, for Bafang M510 Mid Motor
CHAIN	KMC	Xglide-Gray, for SHIMANO CUES 9/10/11 SPEED, W/QUICK-LINK
PEDAL	FPD	9/16D Brone Axle, PP Black
F. BRAKE SET	TEKTRO	HD-M275/F, ROTOR:180mm
R. BRAKE SET	TEKTRO	HD-M275/R, ROTOR:180mm
SADDLE	DDK	DDK-5176
SEAT POST	SZ HL	30.9D, Alloy / S.B. Black
SEAT POST CLAMP	SZ HL	34.9D, Alloy / S.B. Black
KICKSTAND		for 29" Alloy
F/Fender	Jalco	29"x75W Alloy
R/Fender	Jalco	29"x75W Alloy
F. RACK	Strong	250*260*80H, Alloy / Black
R. RACK	Strong	Full Alloy / Black
F/Light	SP	AXENDO 40+ XE, 1LED 40Lux
R/Light	SP	PIMENTO LARGE XE, Red COB LED 5 Cd, 6-36Vdc
MOTOR	BAFANG	M510, 48V/250W, 25KM/H
SENSOR	BAFANG	SR SD071.02 Sensor, 1 Pulse
HMI	BAFANG	LCD Display, 48V, DP C241.CAN
BATTERY	SEGL	48V/10Ah ( 13S2P, LG 21700 M50LT 5000mAh )
Charger	SEGL	54.6V/2A, DC Jack

**FOB TW US\$ 1255.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.  
 Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance  
 Validity: Within 30days after quote



Model: K	700C E-City Wave Bafang M510	
ITEMS	SUPPLIER	SPECIFICATION
FRAME	DORCUS	E-Bike 29"x48CM, Wave, Bafang Mid-Motor
FRAME PAINTING		TBD
FORK	ZOOM HL	29" 1-1/8"-1.5", SUSPENSION FORK
HEADSET	PT	1-1/8"x1.5" 28.6/56X56/39.8, ALLOY
F/HUB	YU HUB	Disc, 14Gx32H, M15x110mm
R/HUB	YU HUB	Disc, 14Gx32H, M12x142mm, for SHIMANO CASSETTE
RIM	JHT	29", 14Gx32H, A/V, Alloy / Black
SPOKE	SD	Stainless / ED Black
TIRE	INNOVA	700Cx52C, All Black
TUBE	INNOVA	700Cx52C, A/V, Black
CASSETTE	SHIMANO	CS-LG400-11, CUES, 11-SPEED, 11-50T
HANDLE BAR	SZ HL	680WxS-31.8x38H RISExBS:36", Alloy / S.B. Black
STEM	SZ HL	31.8Bx28.6Dx75E, Alloy / S.B. Black
GRIP(TAPE)	VELO	135mm
R. DERAILLEUR	Shimano CUES	RD-U6000, CUES, GS 10/11-SPEED
R/SHIFTER	Shimano CUES	SL-U6000-11R, CUES, RIGHT, 11-SPEED
CHAINRINGS	SAMOX	38Tx175L, for Bafang M510 Mid Motor
CHAIN	KMC	Xglide-Gray, for SHIMANO CUES 9/10/11 SPEED, W/QUICK-LINK
PEDAL	FPD	9/16D Brone Axle, PP Black
F. BRAKE SET	TEKTRO	HD-T275/F, ROTOR:180mm
R. BRAKE SET	TEKTRO	HD-T275/R, ROTOR:180mm
SADDLE	DDK	DDK-5176
SEAT POST	SZ HL	30.9D, Alloy / S.B. Black
SEAT POST CLAMP	SZ HL	34.9D, Alloy / S.B. Black
KICKSTAND		for 29" Alloy
F/Fender	Jalco	29"x75W Alloy
R/Fender	Jalco	29"x75W Alloy
F. RACK	Strong	250*260*80H, Alloy / Black
R. RACK	Strong	Full Alloy / Black
F/Light	SP	AXENDO 40+ XE, 1LED 40Lux
R/Light	SP	PIMENTO LARGE XE, Red COB LED 5 Cd, 6-36Vdc
MOTOR	BAFANG	M510, 48V/250W, 25KM/H
SENSOR	BAFANG	SR SD071.02 Sensor, 1 Pulse
HMI	BAFANG	LCD Display, 48V, DP C241.CAN
BATTERY	SEGL	48V/10Ah ( 13S2P, LG 21700 M50LT 5000mAh )
Charger	SEGL	54.6V/2A, DC Jack

**FOB TW US\$ 1245.00/bike**

MOQ: Base on 1\*20ft container (abt. 120 bikes); less than 1\*20ft need to share free space container cost.  
 Payment: 30% down payment as order confirmed and 70% balance after shipment. B/L send after received balance  
 Validity: Within 30days after quote

